

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

REMARKS

In view of the above amendment and the following discussion, the Applicant submits that none of the claims now pending in the application are obvious under the provisions of 35 U.S.C. § 103. Thus, the Applicant believes that all of these claims are now in allowable form.

I. REJECTION OF CLAIMS 1-35 UNDER 35 U.S.C. § 103

A. Claims 1-9, 11-12, 14-21, 23-29 and 31

The Examiner rejected claims 1-9, 11-12, 14-21, 23-29 and 31 as being unpatentable over Tingley, et al. (US Publication 2002/0138628, Published September 26, 2002, hereinafter referred to as "Tingley") in view of McCloghrie, et al. (US Patent No. 6,035,105, issued on March 7, 2000, hereinafter referred to as "McCloghrie"). The rejection is respectfully traversed.

Tingley teaches an extension of address resolution protocol (ARP) for internet protocol (IP) virtual networks. A bridge or switch forwards data packets received from sets of servers to a Virtual Network within a core network or vice versa. (See Tingley, para. [0042] and [0044]).

McCloghrie teaches a multiple VLAN architecture system. McCloghrie teaches a method and system where multiple different VLANs may be combined in a single enterprise network. (See McCloghrie, Abstract).

The Examiner's attention is directed to the fact that Tingley and McCloghrie, alone or in any permissible combination, fail to teach or suggest the novel concept of a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch, as positively claimed by Applicant's independent claim 1. Specifically, Applicant's independent claim 1 positively recites:

PATENT

Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

1. A system for exchanging information on a network, comprising:
 - a switch coupled to a plurality of ports;
 - an address table;
 - a transient computer having an address, said transient computer coupled to one of said plurality of ports; and
 - a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch.(Emphasis added).

Applicant's independent claims 9, 17, 20, 23, 25 and 28 include similar limitations. In an exemplary embodiment, the Applicant's invention teaches a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch. For example, a plurality of ports can be in different rooms or physical locations within a house or office. When a PC is connected to one of the ports, a virtual private network, also identified as virtual local area networks (VLAN), is dynamically assigned to this port by a switch based upon the MAC address of the PC. (e.g., See Applicant's specification, p. 5, l. 26 – p. 6, l. 13). The switch uses an address table to assign the appropriate virtual private network to the port connected to the transient PC. (e.g., See Applicant's specification, p. 6, ll. 14-29). Consequently, the transient PC may be connected to any one of the plurality of ports and the switch will assign the correct virtual private network to the PC regardless of which port the transient PC is connected to. (See *Id.*).

In contrast, the alleged combination (as taught by Tingley) fails to teach, show or suggest a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch. For example, the Applicant's invention teaches that a plurality of ports may be in different physical locations. (e.g., See Applicant's specification, pg. 7, ll. 4-5). Furthermore, the Applicant's invention teaches that a user of a PC may disconnect the PC from one port and re-connect to a different port. (e.g., See Applicant's specification, pg. 8, ll. 24-27). Consequently, the computer is transient and the switch dynamically assigns one of the plurality of private networks to any one of said plurality of ports in response to a detected connection to the transient computer.

Nowhere in Tingley does it teach or suggest that any of the servers, which the Examiner alleges reads on the limitation of a computer as recited by the Applicant's invention, can be disconnected from their specific Ethernet link and reconnected to another specific Ethernet link. In fact Tingley teaches away from Applicant's invention. For example, Tingley states that:

Since each of the Ethernet links 68, 70 and 72 are connected only to servers associated with a given Virtual Network, the Ethernet links 68, 70 and 72 are each Virtual Network specific, in that packets carried over a given one of the Ethernet links 68, 70 and 72 are only seen by one of the sets of servers 74, 76 and 78. (Tingley, Paragraph 0044, emphasis added).

Clearly, Tingley states that each link is virtual network specific and as such these links and their associated ports can never be dynamically assigned. In other words, moving one of Tingley's server to another Ethernet link will not allow the moved server to communicate with its corresponding virtual network. Therefore, unlike the Applicant's invention that teaches a transient computer coupled to one of said plurality of ports such that one of a plurality of private networks can be dynamically assigned to only said one of said plurality of ports, Tingley only teaches the use of static servers such that there is absolutely no teaching that one of a plurality of private networks can be dynamically assigned to one of a plurality of ports.

PATENT

Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

However, the Examiner then asserts that McCloghrie bridges the substantial gap left by Tingley. McCloghrie fails to bridge the substantial gap left by Tingley because McCloghrie fails to teach or to suggest a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch.

Specifically, Applicant's invention teaches that the computers are transient and that one of the plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to a transient computer. In contrast, McCloghrie teaches that each device may transmit frames using one of a plurality of VLAN transmit protocols. (See McCloghrie, col. 2, ll. 50-58). As a result, the switch may re-assign a VLAN to a port in response to content within the transmitted frame (see *Id.* col. 4, ll. 7-11) and not in response to a detected connection to a transient computer, as taught by the Applicant's invention. Thus, the Applicant's invention provides the flexibility of allowing a transient computer to move from one port at one physical location to another different port at another different physical location. This concept is completely absent from McCloghrie and Tingley.

McCloghrie is completely silent as to teaching that the devices 101 are transient. As a result, McCloghrie fails to teach or suggest that one of the plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to a transient computer. Thus, the combination of Tingley and McCloghrie clearly fails to render obvious the Applicant's independent claim 1 and independent claims 9, 17, 20, 23, 25 and 28 containing similar limitations.

Furthermore, dependent claims 2-8, 11, 12, 14-16, 18-19, 21, 24, 26, 27, 29 and 31 depend, either directly or indirectly, from claims 1, 9, 17, 20, 23, 25 and 28 and recite additional limitations. As such, and for the exact same reason set forth above, the Applicant submits that claims 2-8, 11, 12, 14-16, 18-19, 21, 24, 26, 27, 29 and 31 are

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

also patentable over Tingley in view of McCloghrie. As such, the Applicant respectfully requests the rejection be withdrawn.

B. Claims 10, 13 and 30

The Examiner rejected claims 10, 13 and 30 as being unpatentable over Tingley and McCloghrie in view of Miner, et al. (US Patent 6,804,332, issued October 12, 2004, hereinafter referred to as "Miner"). The rejection is respectfully traversed.

The teachings of Tingley and McCloghrie are discussed above. Miner teaches a network based knowledgeable assistant. Miner teaches a computer-implemented method of processing communications through a multimedia interface that includes a plurality of interface devices and a plurality of input/output devices. (See Miner, Abstract).

The Examiner's attention is directed to the fact that Tingley, McCloghrie and Miner, alone or in any permissible combination, fail to teach, show or suggest a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch, as positively claimed by Applicant's independent claims 9 and 28. (See *supra*).

As discussed above, Tingley and McCloghrie clearly do not teach, show or suggest a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch. Moreover, Miner fails to bridge the substantial gap left by Tingley and McCloghrie. Miner only teaches a

computer-implemented method of processing communications through a multimedia interface that includes a plurality of interface devices and a plurality of input/output devices. (See Miner, Abstract). As such, the combination of Tingley, McCloghrie and Miner does not teach, show or suggest Applicant's invention as recited in independent claims 9 and 28.

Dependent claims 10, 13 and 30 depend from independent claims 9 and 28 and recite additional limitations. As such, and for the exact same reasons set forth above, the Applicant submits that claims 10, 13 and 30 are also not made obvious by the combination of Tingley, McCloghrie and Miner. Therefore, the Applicant respectfully requests the rejection be withdrawn.

C. Claim 22

The Examiner rejected claim 22 as being unpatentable over Tingley and McCloghrie in view of Thornton, et al. (US Patent 6,363,065, issued March 26, 2002, hereinafter referred to as "Thornton"). The rejection is respectfully traversed.

The teachings of Tingley and McCloghrie are discussed above. Thornton teaches an OK apparatus for a voice over IP (VoIP) telephony gateway and methods for use therein. The apparatus embeds, using call independent signaling, certain call-specific information, as non-standard data, within various conventional H.323 messages that transit between paired gateways. (See Thornton, Abstract).

The Examiner's attention is directed to the fact that Tingley, McCloghrie and Thornton, alone or in any permissible combination, fail to teach, show or suggest a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch, as positively claimed by Applicant's independent claim 20. (See *supra*).

As discussed above, Tingley and McCloghrie clearly do not teach, show or suggest a method or system for exchanging information on a network comprising a plurality of private networks, wherein each of said plurality of private networks is compatible with each of said plurality of ports and one of said plurality of private networks is dynamically assigned to any one of said plurality of ports in response to a detected connection to said transient computer by said switch according to said address table, wherein said transient computer communicates with said one of said plurality of private networks via said one of said plurality of ports and said switch. Moreover, Thornton fails to bridge the substantial gap left by Tingley and McCloghrie. Thornton only teaches an OK apparatus for a voice over IP (VoIP) telephony gateway that embeds, using call independent signaling, certain call-specific information, as non-standard data, within various conventional H.323 messages that transit between paired gateways. (See Thornton, Abstract). As such, the combination of Tingley, McCloghrie and Thornton does not teach, show or suggest Applicant's invention as recited in independent claim 20.

Dependent claim 22 depends from independent claim 20 and recites additional limitations. As such, and for the exact same reasons set forth above, the Applicant submits that claim 22 is also not made obvious by the combination of Tingley, McCloghrie and Thornton. Therefore, the Applicant respectfully requests the rejection be withdrawn.

D. Claims 32-35

The Examiner rejected claims 32-35 as being unpatentable over Tingley and McCloghrie in view of Fluss (US Patent 6,304,578, issued October 16, 2001, hereinafter referred to as "Fluss"). The rejection is respectfully traversed.

The teachings of Tingley and McCloghrie are discussed above. Fluss teaches packet routing and queuing at the headend of shared data channel. A headend of a shared data channel receives data packets, each data packet being addressed to a user of the shared data channel. A buffer of the headend queues the data packets, and a router of the headend assigns high transmittal priority to data packets addressed to users who have more recently received a previous data packet and assigns low

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

transmittal priority to data packets addressed to users who have relatively less recently received a previous data packet, wherein the low transmittal priority is a lower priority than the high transmittal priority. (See Fluss, Abstract).

The Examiner's attention is directed to the fact that Tingley, McCloghrie and Fluss, alone or in any permissible combination, fail to teach, show or suggest a system for exchanging information from a plurality of ports to external private networks comprising a plurality of virtual local area networks created by said switch, wherein each of said plurality of virtual local area networks is compatible with each of said plurality of ports and wherein one of said plurality of virtual local area networks is dynamically assigned to any one port of said plurality of ports according to an address in said address table in response to a detected connection to a transient computer, said transient computer coupled to said port, said transient computer including said address correlating to said one of said plurality of virtual local area networks, as positively claimed by Applicant's independent claim 32. Applicant's independent claim 32 positively recites:

32. A system for exchanging information from a plurality of ports to external private networks, comprising:
- a switch coupled to said plurality of ports, said switch including an address table;
 - a plurality of virtual local area networks created by said switch, wherein each of said plurality of virtual local area networks is compatible with each of said plurality of ports and wherein one of said plurality of virtual local area networks is dynamically assigned to any one port of said plurality of ports according to an address in said address table in response to a detected connection to a transient computer, said transient computer coupled to said port, said transient computer including said address correlating to said one of said plurality of virtual local area networks; and
 - a modem coupled to said switch via an Ethernet hub, said modem to exchange information from said one of said plurality of virtual local area networks assigned to said port to an external virtual private network corresponding to said transient computer. (Emphasis added).

In an exemplary embodiment, the Applicant's invention teaches a system for exchanging information from a plurality of ports to external private networks comprising a plurality of virtual local area networks created by said switch, wherein each of said

plurality of virtual local area networks is compatible with each of said plurality of ports and wherein one of said plurality of virtual local area networks is dynamically assigned to any one port of said plurality of ports according to an address in said address table in response to a detected connection to a transient computer, said transient computer coupled to said port, said transient computer including said address correlating to said one of said plurality of virtual local area networks. For example, a plurality of ports can be in different rooms or physical locations within a house or office. When a transient PC is connected to one of the ports, a virtual private network, also referred to as virtual local area networks, is assigned to this port by a switch based upon the MAC address of the transient PC. (e.g., See Applicant's specification, pg. 5, l. 26 – pg. 6, l. 13). The switch uses an address table to assign the appropriate virtual private network to the port connected to the PC. (e.g., See Applicant's specification, pg. 6, ll. 14-29). Consequently, the PC may be connected to any port and the switch will assign the correct virtual private network to the PC regardless of which port the PC is connected to. (See *Id.*).

Nowhere in Tingley does it teach or suggest that any of the servers, which the Examiner alleges reads on the limitation of a computer as recited by the Applicant's invention, can be disconnected from their specific Ethernet link and reconnected to another specific Ethernet link. In fact Tingley teaches away from Applicant's invention. For example, Tingley states that:

Since each of the Ethernet links 68, 70 and 72 are connected only to servers associated with a given Virtual Network, the Ethernet links 68, 70 and 72 are each Virtual Network specific, in that packets carried over a given one of the Ethernet links 68, 70 and 72 are only seen by one of the sets of servers 74, 76 and 78. (Tingley, Paragraph 0044, emphasis added).

Clearly, Tingley states that each link is virtual network specific and as such these links and their associated ports can never be dynamically assigned. In other words, moving one of Tingley's server to another Ethernet link will not allow the moved server to communicate with its corresponding virtual network. Therefore, unlike the Applicant's invention that teaches a transient computer coupled to one of said plurality of ports such that one of a plurality of private networks can be dynamically assigned to only said one

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

of said plurality of ports, Tingley only teaches the use of static servers such that there is absolutely no teaching that one of a plurality of private networks can be dynamically assigned to one of a plurality of ports.

Moreover, McCloghrie fails to bridge the substantial gap left by Tingley because McCloghrie is also silent as to teaching or suggesting a transient computer or that one of said plurality of virtual local area networks is dynamically assigned to any one port of said plurality of ports according to an address in said address table in response to a detected connection to a transient computer. In contrast, McCloghrie teaches that each device may transmit frames using one of a plurality of VLAN transmit protocols. (See McCloghrie, col. 2, ll. 50-58). As a result, the switch may re-assign a VLAN to a port in response to content within the transmitted frame (see *Id.* col. 4, ll. 7-11) and not in response to a detected connection to a transient computer, as taught by the Applicant's invention. Thus, the Applicant's invention provides the flexibility of allowing a transient computer to move from one port at one physical location to another different port at another different physical location. This concept is completely absent from McCloghrie and Tingley.

Moreover, Fluss also fails to bridge the substantial gap left by Tingley and McCloghrie. Fluss only teaches packet routing and queuing at the headend of shared data channel. (See Fluss, Abstract). As such, the combination of Tingley, McCloghrie and Fluss does not teach, show or suggest Applicant's invention as recited in independent claim 32.

In addition, dependent claims 33-35 depend from independent claim 32 and recite additional limitations. As such, and for the exact same reasons set forth above, the Applicant submits that claims 33-35 are also not made obvious by the combination of Tingley, McCloghrie and Fluss. Therefore, the Applicant respectfully requests the rejection be withdrawn.

II. NEW CLAIM

The Applicant herein adds new dependent claim 36. The Applicant respectfully submits that dependent claim 36 is patentable over the prior art because the prior art does not teach or suggest the aspects of disconnecting and re-connecting the transient

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

computer, to different ports. Moreover, the prior art does not teach or suggest terminating the assignment of one of the plurality of networks to the assigned port in response to detecting a disconnection of the transient computer. This provides added security and ensures that a rogue computer may not access the transient computer's private VLAN by immediately connecting to the port that the transient computer disconnected from. Therefore, the Applicant respectfully submits that new claim 36 is also in allowable form.

PATENT
Atty. Dkt. No. 2685/5434 (ATT/2000-0093)

CONCLUSION


Thus, the Applicant submits that all of these claims now fully satisfy the requirements of 35 U.S.C. § 103. Consequently, the Applicant believes that all these claims are presently in condition for allowance. Accordingly, both reconsideration of this application and its swift passage to issue are earnestly solicited.

If, however, the Examiner believes that there are any unresolved issues requiring the maintenance of the present final action in any of the claims now pending in the application, it is requested that the Examiner telephone Mr. Kin-Wah Tong, Esq. at (732) 530-9404 so that appropriate arrangements can be made for resolving such issues as expeditiously as possible.

Respectfully Submitted,

April 24, 2008

Patterson & Sheridan, LLP
595 Shrewsbury Avenue
Shrewsbury, New Jersey 07702



Kin-Wah Tong, Attorney
Reg. No. 39,400
(732) 530-9404